**Product sheet**

# [illegible] B-LCL-HROC75 | 302084

## [illegible]

| | |
|---|---|
| **Description** | B-LCL-HROC75 [illegible] (EBV) [illegible] B-LCL-HROC75 [illegible] B [illegible] CD19 [illegible] CD20 [illegible] B-LCL-HROC75 [illegible] ([illegible] IgG [illegible] IgM [illegible] IgA) [illegible] |
| **Organism** | [illegible] |
| **Tissue** | [illegible] |
| **Disease** | [illegible] |
| **Synonyms** | Bc HROC75 |

## [illegible]

| | |
|---|---|
| **Gender** | [illegible] |
| **Ethnicity** | [illegible] |
| **Morphology** | [illegible] |
| **Cell type** | [illegible] |
| **Growth properties** | [illegible] |

## [illegible]

| | |
|---|---|
| **Citation** | B-LCL-HROC75 ([illegible] 302084) |
| **Biosafety level** | 2 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_C0W6 |

## [illegible]

## [redacted] B-LCL-HROC75 | 302084

| | |
|---|---|
| **Surface antigens** | CD19 |
| **Viruses** | [redacted] |

[redacted]

| | |
|---|---|
| **Culture Medium** | RPMI 1640[redacted] 2.0 [redacted] NaHCO3 ([redacted] 820700a [redacted]) |
| **Supplements** | [redacted] 10% [redacted] FBS [redacted] |
| **Subculturing** | [redacted] |
| **Freeze medium** | [redacted] (FBS) + 10% DMSO [redacted] |
| **Thawing and Culturing Cells** | 1. [redacted]<br>2. [redacted] -150 [redacted]<br>3. [redacted] 37 [redacted]<br>4. [redacted] 70% [redacted]<br>5. [redacted] 15 [redacted] 8 [redacted]<br>6. [redacted] 300 × [redacted] 3 [redacted]<br>7. [redacted] 10 [redacted]<br>8. [redacted] |
| **Incubation Atmosphere** | 37 [redacted] |
| **Flask Coating** | [redacted] |

## [redacted] B-LCL-HROC75 | 302084

| | |
|---|---|
| **Freezing Procedure** | [redacted] -78 |
| **Shipping Conditions** | [redacted] -78 |
| **Storage Conditions** | [redacted] -150 [redacted] -196 [redacted] |

## [redacted] / [redacted] / HLA

| | |
|---|---|
| **Sterility** | [redacted] (PCR) [redacted] |