Product sheet

[redacted] CHO-TACD2 CHO-TACD2 | 305415

[redacted]

Description	[redacted] [redacted] CHO-TACD2 [redacted] CHO ([redacted]) [redacted] TACD2 [redacted] [redacted] TACD2 (TROP2) [redacted].
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] TACD2/TROP2 (GA733-1) [redacted]
Applications	[redacted] (ADC) [redacted] TROP2 [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	CHO-TACD2 ([redacted] 305415)
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8X3

CHO-TACD2 CHO-TACD2 | 305415

GMO Status	S1: CHO TACD2

Receptors expressed

Receptors expressed	TACD2 (TROP2 GA733-1)

Culture Medium

Culture Medium	DMEM: DMEM:Ham's F12 (1:1) 3.1 / 2.5 15 (InSCREENeX CHO A (InSCREENeX InSCREENeX INS-ME-1039)
Supplements	5 FBS . (G418-) 0.5 /
Dissociation Reagent	-
Doubling time	14-16
Subculturing	
Split ratio	1 5
Seeding density	2 5 × /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 (
Freeze medium	(FBS) + 10% DMSO

CHO-TACD2 CHO-TACD2 | 305415

Thawing and Culturing Cells	1. 2. -150 3. 37 4. 70% 5. 15 8 6. 300 × 3 7. 10 8.
Incubation Atmosphere	37
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196

Sterility	(PCR)