Product sheet

# HEK293-FOLR1 HEK293-FOLR1 | 305425

## [redacted]

| | |
|---|---|
| **Description** | [redacted] HEK293-FOLR1 [redacted] HEK293 [redacted] FOLR1 [redacted] FBP [redacted] GPI [redacted] FOLR1 [redacted] FOLR1 [redacted] |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Disease** | [redacted] (HEK293) |
| **Applications** | [redacted] FOLR1 [redacted] (ADC) ([redacted] |

## [redacted]

| | |
|---|---|
| **Age** | [redacted] |
| **Gender** | [redacted] |
| **Morphology** | [redacted] |
| **Cell type** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | HEK293-FOLR1 ([redacted] 305425) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_6G24 |

## HEK293-FOLR1 HEK293-FOLR1 | 305425

| | |
|---|---|
| **GMO Status** | GMO-S1: HEK293 FOLR1 |

### Receptors expressed

| | |
|---|---|
| **Receptors expressed** | FOLR1 (FRα) FBP) |

### Culture Medium

| | |
|---|---|
| **Culture Medium** | RPMI 1640 2.0 2.0 NaHCO3 820700a |
| **Supplements** | 10 FBS 1 10 HEPES 1 NEAA. (G418 |
| **Dissociation Reagent** | - |
| **Doubling time** | 24-36 |
| **Subculturing** | |
| **Split ratio** | 1 5 |
| **Seeding density** | 2 4 × |
| **Fluid renewal** | 2 3 |
| **Post-Thaw Recovery** | 1:2 1:3 T25 24 |
| **Freeze medium** | (FBS) + 10% DMSO |

## HEK293-FOLR1 HEK293-FOLR1 | 305425

| | |
|---|---|
| **Thawing and Culturing Cells** | 1. [illegible]<br>2. [illegible]<br>3. [illegible]<br>4. [illegible]<br>5. [illegible]<br>6. [illegible]<br>7. [illegible]<br>8. [illegible] |
| **Incubation Atmosphere** | 37 [illegible] |
| **Flask Coating** | [illegible] |
| **Freezing Procedure** | [illegible] |
| **Shipping Conditions** | [illegible] |
| **Storage Conditions** | [illegible] |

### [illegible]

| | |
|---|---|
| **Sterility** | [illegible] |