Product sheet

[redacted] HEK293-CCR8 HEK293-CCR8 | 305426

[redacted]

Description	[redacted] [redacted] HEK293-CCR8 [redacted] HEK293 [redacted] CCR8 [redacted] CDw198[redacted] G (GPCR) [redacted] (Tregs). [redacted] [redacted] CCR8 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] (HEK293)
Applications	[redacted] GPCR[redacted] CCR8[redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HEK293-CCR8 ([redacted] 305426)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6G18

HEK293-CCR8 HEK293-CCR8 | 305426

GMO Status	GMO-S1: HEK293 CCR8

Receptors expressed

Receptors expressed	CCR8 (CHEMR1 CDw198)

Culture Medium

Culture Medium	RPMI 1640 2.0 2.0 NaHCO3 (820700a)
Supplements	10 FBS 1 10 HEPES 1 NEAA. (G418
Dissociation Reagent	-
Doubling time	24-36
Subculturing	:
Split ratio	1 5
Seeding density	2 4 $\times$ 10^4 /2
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 (
Freeze medium	(FBS) + 10% DMSO

HEK293-CCR8 HEK293-CCR8 | 305426

Thawing and Culturing Cells	1. 2. -150 3. 37 4. 70% 5. 15 8 6. 300 × 3 7. 10 . 8.
Incubation Atmosphere	37
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196

Sterility	(PCR) .