Product sheet

NCI-H889 | 305842

[redacted]

Description	NCI-H889 [redacted] (SCLC) [redacted] [redacted] NCI-H889 [redacted] II (IGF-II) [redacted] H889 [redacted] IGF [redacted] [redacted] NCI-H889 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	H889, H-889, NCIH889

[redacted]

Age	69 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H889 ([redacted] Cytion 305842)
Biosafety level	1

[redacted] NCI-H889 | 305842

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1598

[redacted]

Mutational profile	[redacted]: TP53 [redacted] p.Cys242Ser (c.725G>C) [redacted] (PubMed=1312696 PubMed=1565469).

[redacted]

Culture Medium	RPMI 1640 [redacted]: 2.0 [redacted]: 2.0 [redacted] NaHCO3 ([redacted] 820700a [redacted])
Supplements	[redacted] 10 [redacted] FBS
Dissociation Reagent	[redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

Thawing and Culturing Cells

1. [redacted]
2. [redacted] -150 [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] 300 × [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

[redacted] NCI-H889 | 305842

Incubation Atmosphere	37 [redacted]
Flask Coating	[redacted]
Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted]

Sterility	[redacted] (PCR) [redacted] [redacted]