

WSU-HN6 | 305888

Media

Culture Medium DMEM 4.5 g/l, Glucose 4 g/l, Sodium Pyruvate 3.7 g/l, NaHCO3 1.0 g/l, Penicillin (100 U/ml), Streptomycin (100 U/ml), Fungizone (0.25 µg/ml)

Supplements 10% FBS

Freeze medium 10% FBS + 10% DMSO

Thawing and Culturing Cells

1. Thaw cells rapidly in a 37°C water bath.
2. Centrifuge cells at 300 x g for 3 minutes.
3. Resuspend cells in 10 ml of culture medium.
4. Seed cells into a T75 flask containing 70% culture medium.
5. Incubate cells at 37°C in a humidified atmosphere of 5% CO2.
6. Monitor cell growth and confluency.
7. Harvest cells when they reach 80-90% confluency.
8. Perform a cell count and passage the cells.

Incubation Atmosphere 37°C, 5% CO2

Flask Coating None

Freezing Procedure Harvest cells and resuspend in freezing medium. Store at -80°C.

Shipping Conditions Dry ice, -80°C

Product sheet

XXXXXXXXWSU-HN6 | 305888

Storage Conditions XXXXX XXXX XXXXXX XX XXXXXXXXXXXX XX XXXXXXXXXXXX XXXX XX XXXXXX XXXXXXXXXXX XXX XXXX XXXXXX XXXXXXXXXXX XXXX -150 X -196 XXXXX XXXXXX XXXXXX

XXXXXXXX XXXXXXXXXXX / XXXXXX XXXXXXXXXXX / HLA

Sterility XXXXXXXXXXX XXXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX XX XX XXXXXXXXXXXX XXXXXXXXXXX XXX XXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX (PCR) XXXXX XXXXXX XX
XXXXXXXX XX XXXX XXXX XXXXXX XX XXXXX XX XXXXXX XXX XXXXXX XXXXXX XXXXXXXXXXX XXXXXX XXXXXXXXXXX XXXXXXXXXXX