Product sheet

[redacted] NCI-H69AR | 305840

[redacted]

Description	NCI-H69AR [redacted] (SCLC) [redacted] NCI-H69. [redacted] [redacted] NCI-H69AR [redacted] P-glycoprotein P-glycoprotein (P-gp) [redacted] NCI-H69AR [redacted] [redacted] NCI-H69AR [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	NFCI-H69 AR, NFCI-H69/AR, H69AR, H69AR, H-69AR

[redacted]

Age	55 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H69AR ([redacted] 305840)
Biosafety level	1

[redacted] NCI-H69AR | 305840

NCBI_TaxID	9606
CellosaurusAccession	CVCL_3513

[redacted]

Tumorigenic	[redacted]
Mutational profile	[redacted]: PIK3CA [redacted] p.Gly106_Arg108del (c.317_325delGGCACACCGT) [redacted] ([redacted]) [redacted] RB1 p.Glu171Ter (c.511G>T) [redacted] ([redacted]).

[redacted]

Culture Medium	RPMI 1640 [redacted]: 2.0 [redacted]: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] 820700a [redacted])
Supplements	[redacted] 20 FBS
Dissociation Reagent	[redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

[redacted] NCI-H69AR | 305840

Thawing and Culturing Cells

1. [redacted]
2. [redacted] -150 [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] 300 × [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37 [redacted]
Flask Coating	[redacted]
Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted]

Sterility	[redacted] (PCR) [redacted]