



| 305850

**Antigen expression** CD10<sup>+</sup> CD19<sup>+</sup> CD20<sup>+</sup> CD38<sup>+</sup> CD10<sup>+</sup> CD19<sup>+</sup> CD20<sup>+</sup> CD38<sup>+</sup>

**Mutational profile** p.Arg1171Cys

**Culture Medium** RPMI 1640 2.0 mM NaHCO<sub>3</sub> (820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Doubling time** 24-30

**Seeding density** 2 × 10<sup>5</sup>

**Freeze medium** + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cells rapidly in a 37°C water bath.
  2. Centrifuge cells at 300 × g for 5 minutes.
  3. Resuspend cells in 10 mL of culture medium.
  4. Seed cells into a 25 cm<sup>2</sup> tissue culture flask at a density of 70%.
  5. Incubate cells in a humidified CO<sub>2</sub> incubator at 37°C for 15 days.
  6. Harvest cells when they reach 80% confluency.
  7. Perform a cell count and passage the cells.

| 305850

**Incubation  
Atmosphere**

37 

**Flask Coating**



**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196 

/

/ HLA