Product sheet

[redacted]4T1-GFP | 305625

[redacted]

Description	4T1-GFP [redacted] 4T1 [redacted] 4T1 [redacted] [redacted] 4T1 [redacted] GFP [redacted] [redacted] 4T1 [redacted] [redacted] ZsGreen1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted] BALB/c [redacted]) [redacted]
Applications	[redacted] GFP [redacted]
Synonyms	4T1-A, 4T1.0, 4T1.0, 4T1/WT

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	4T1-GFP ([redacted] Cytion: 305625)
Biosafety level	1

4T1-GFP | 305625

NCBI_TaxID	10090
CellosaurusAccession	CVCL_0125
GMO Status	GMO-S1: (ZsGreen1)

[redacted]

Surface antigens	GFP
Antigen expression	ZsGreen1 ([redacted])

[redacted]

Culture Medium	RPMI 1640 2.1 2.0 NaHCO3 (820700a)
Supplements	10 FBS
Dissociation Reagent	
Doubling time	12.6
Split ratio	1 3
Seeding density	1 3 × 10^4
Fluid renewal	2 3
Freeze medium	+ 10% DMSO

[redacted] 4T1-GFP | 305625

Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150 [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 200 × [redacted] 5 [redacted] 7. [redacted]
Incubation Atmosphere	37 [redacted]
Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted]