

CHO-EPCAM | 305974

CHO-EPCAM

Description

CHO-EPCAM is a CHO cell line expressing the EPCAM protein. It is derived from CHO cells and is used for the production of recombinant proteins. The cells are grown in DMEM/F12 medium supplemented with 10% fetal bovine serum (FBS) and 10% horse serum (HS). The cells are maintained in a humidified atmosphere of 5% CO₂ at 37°C.

CHO-EPCAM cells are a CHO cell line (CHO) that expresses the EPCAM protein. The cells are used for the production of recombinant proteins. The cells are grown in DMEM/F12 medium supplemented with 10% fetal bovine serum (FBS) and 10% horse serum (HS). The cells are maintained in a humidified atmosphere of 5% CO₂ at 37°C.

CHO-EPCAM cells are a CHO cell line that expresses the EPCAM protein. The cells are used for the production of recombinant proteins. The cells are grown in DMEM/F12 medium supplemented with 10% fetal bovine serum (FBS) and 10% horse serum (HS). The cells are maintained in a humidified atmosphere of 5% CO₂ at 37°C.

Organism CHO

Tissue Epithelial

CHO-EPCAM

Age 1-3 months

Gender Male

Cell type Epithelial

Growth properties Adherent

CHO-EPCAM

Citation CHO-EPCAM (CHO) Cytion: 305974

Biosafety level 1

NCBI_TaxID 10029

CellosaurusAccession CVCL_D2TL

CHO-EPCAM

Receptors expressed EpCAM (CD326)

CHO-EPCAM | 305974

Incubation Atmosphere 37 °C, 5% CO₂, humidified

Shipping Conditions Store at -78 °C

Storage Conditions Store at -150 °C to -196 °C

HLA

Sterility Sterile, PCR-ready