

# CHO-EGFR | 305977

## CHO-EGFR

**Description**

CHO-EGFR (CHO) cells are a derivative of CHO cells expressing the human epidermal growth factor receptor (EGFR). These cells are used for the production of monoclonal antibodies against EGFR. The cells are grown in DMEM/F12 medium supplemented with 10% fetal bovine serum (FBS) and 100 ng/ml insulin, transferrin, and selenium (ITS). The cells are maintained at 37°C in 5% CO<sub>2</sub> atmosphere.

CHO-EGFR cells are a derivative of CHO cells expressing the human epidermal growth factor receptor (EGFR). These cells are used for the production of monoclonal antibodies against EGFR. The cells are grown in DMEM/F12 medium supplemented with 10% fetal bovine serum (FBS) and 100 ng/ml insulin, transferrin, and selenium (ITS). The cells are maintained at 37°C in 5% CO<sub>2</sub> atmosphere.

**Organism** CHO

**Tissue** CHO

## CHO-EGFR

**Age** CHO

**Gender** CHO

**Cell type** CHO

**Growth properties** CHO

## CHO-EGFR

**Citation** CHO-EGFR (CHO) Cytion: 305977

**Biosafety level** 1

**NCBI\_TaxID** 10029

## CHO-EGFR

## CHO-EGFR



Product sheet

CHO-EGFR | 305977

Shipping Conditions

...

Storage Conditions

... -150 ° -196 ° ...

... / ... / HLA

Sterility

... (PCR) ...  
...