

# HEK293-VEGFR2 | 305990

## HEK293-VEGFR2

**Description**

HEK293-VEGFR2 is a HEK293 cell line stably expressing VEGFR2. The cells are grown in DMEM supplemented with 10% FBS. The cells are used for the study of VEGFR2 signaling pathways. The cells are characterized by high transfection efficiency and stable expression of VEGFR2. The cells are used for the study of VEGFR2 signaling pathways. The cells are characterized by high transfection efficiency and stable expression of VEGFR2.

HEK293-VEGFR2 cells are HEK293 cells stably expressing VEGFR2 (HEK293) cells. The cells are characterized by high transfection efficiency and stable expression of VEGFR2. The cells are used for the study of VEGFR2 signaling pathways. The cells are characterized by high transfection efficiency and stable expression of VEGFR2.

HEK293-VEGFR2 cells are HEK293 cells stably expressing VEGFR2. The cells are characterized by high transfection efficiency and stable expression of VEGFR2. The cells are used for the study of VEGFR2 signaling pathways. The cells are characterized by high transfection efficiency and stable expression of VEGFR2.

**Organism** HEK293

**Tissue** HEK293

**Synonyms** HEK293/VEGFR2

## HEK293-VEGFR2

**Age** HEK293

**Gender** HEK293

**Morphology** HEK293 HEK293

**Growth properties** HEK293 HEK293 HEK293

## HEK293-VEGFR2 HEK293-VEGFR2

**Citation** HEK293-VEGFR2 (HEK293 HEK293 HEK293 Cytion: 305990)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_D7C3

## HEK293-VEGFR2 HEK293-VEGFR2 HEK293-VEGFR2



**HEK293-VEGFR2 | 305990**

**Incubation Atmosphere** 37 °C, 5% CO<sub>2</sub>, humidified

**Shipping Conditions** Dry ice, -78 °C

**Storage Conditions** -150 °C to -196 °C

HEK293-VEGFR2 / HEK293-VEGFR2 / HLA

**Sterility** Sterile, PCR-ready