Product sheet

# [redacted] CHO-K1 ([redacted]) | 603486

## [redacted]

| | |
|---|---|
| **Description** | [redacted] CHO-K1 [redacted] CHO [redacted] CHO-K1 [redacted] CHO-K1 [redacted] CHO-K1 [redacted] CHO-K1 [redacted] CHO [redacted] |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Applications** | [redacted] |
| **Synonyms** | CHO K1 [redacted] CHOK1 [redacted] CHOK1 [redacted] CHO K1 [redacted] GM15452 |

## [redacted]

| | |
|---|---|
| **Age** | [redacted] |
| **Gender** | [redacted] |
| **Morphology** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | [redacted] CHO-K1 [redacted] ([redacted] Cytion: 603486) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10029 |
| **CellosaurusAccession** | CVCL_0214 |

## CHO-K1 ( ) | 603486

### 

| | |
|---|---|
| **Virus susceptibility** | ( ) : 2 = 22. |
| **Reverse transcriptase** | |
| **Karyotype** | 50 : 2 = 22. |

### 

| | |
|---|---|
| **Culture Medium** | CD CHO ThermoFisher |
| **Supplements** | L- : 8 ( 40 200 |
| **Dissociation Reagent** | |
| **Doubling time** | 22 |
| **Subculturing** | $5$ / |
| **Seeding density** | $4 \times 10^{5}$ / |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | ( FBS) + 10% DMSO |

## CHO-K1 ( ) | 603486

| | |
|---|---|
| **Thawing and Culturing Cells** | 1. <br>2. -150 <br>3. 37 <br>4. 70% <br>5. 15 8 <br>6. 300 × 3 <br>7. 10 . <br>8. |
| **Incubation Atmosphere** | 37 110 . |
| **Shipping Conditions** | -78 |
| **Storage Conditions** | -150 -196 |

## 

| | |
|---|---|
| **Sterility** | (PCR) <br> . |