

Product sheet

XXXXXXXXS-117 | 300329

XXXXXXXXXX XXXXX

Description	XX XXXXXXXX XX XXXXXXXX XX XXXXXXXX XXXXXX XX XXXXXX XXXXXXXX XXXXXXXX XXXXX XX XXXXXXXX 47 XXXXXXXX
Organism	XXXXXXXXXX
Tissue	XXXXXXXXXXXXXX
Disease	XXXXXXXXXXXXXX
Synonyms	S-117S117

XXXXXXXXXXXX

Age	47 XXXX
Gender	XXXXX
Morphology	XXXXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX
Growth properties	XXXXXX

XXXXXXXXXXXXXX XXXXXXXX XXXXXXXX

Citation	S-117 (XXXXXXXX XXXXXXXX XXXX300329)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1674

XXXXXXXXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX

Tumorigenic	XXXXX XX XXXXXXXX XXXXXXXX
--------------------	----------------------------

XXXXXXXXXXXXXX

HEK293T-S-117 | 300329

Culture Medium RPMI 1640 (2.0 mM Glucose, 2.0 mM NaHCO₃ (820700a))

Supplements 10% FBS

Dissociation Reagent Trypsin

Subculturing Seed cells into fresh medium containing 10% FBS

Split ratio 1:4 to 1:8

Seeding density 1×10^4 cells per well

Fluid renewal 2-3 times per week

Post-Thaw Recovery Allow cells to recover in 10% FBS medium for 24 hours

Freeze medium 10% FBS + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw vials in a 37°C water bath.
 2. Dilute cells into 10% FBS medium.
 3. Seed cells into a 24-well plate.
 4. Allow cells to recover for 24 hours.
 5. Seed cells into a 96-well plate.
 6. Seed 300 x 3 cells per well.
 7. Seed 10 cells per well.
 8. Seed 100 cells per well.

XXXXXXXXS-117 | 300329

XXXXXXXX HLA

A*: '01:01:01

B*: '37:01:01

C*: '06:02:01

DRB1*: '11:01:01

DQA1*: '05:05:01

DQB1*: '03:01:01

DPB1*: '04:01:01

E: '01:01:01