

NCI-H1299-RFP | 300272

NCI-H1299-RFP

Description

NCI-H1299 RFP is a cell line derived from a human melanoma cell line. It is characterized by the presence of DAPK1 and TSSs (Transcription Start Sites) (TINATs).

NCI-H1299 RFP is a cell line derived from a human melanoma cell line. It is characterized by the presence of DAPK1 and TSSs (Transcription Start Sites) (TINATs).

NCI-H1299 RFP is a cell line derived from a human melanoma cell line. It is characterized by the presence of DAPK1 and TSSs (Transcription Start Sites) (TINATs).

Organism Human

Tissue Melanoma

Disease Melanoma

NCI-H1299-RFP

Morphology Epithelial

Growth properties Adherent

NCI-H1299-RFP

Citation NCI-H1299-EGFP G418 (DKFZ # P-1045) (Cytion: 300272)

Biosafety level 1

NCBI_TaxID 9606

NCI-H1299-RFP

NCI-H1299-RFP

Culture Medium RPMI 1640 2.0 2.0 NaHCO3 (820700a)

Supplements 10% FBS

Product sheet

XXXXXXXX NCI-H1299-RFP | 300272

Storage
Conditions

XXXXXXXX XXXX XXXXXX XX XXXXXXXXXXXX XX XXXXXXXXXXXX XXXX XX XXXXXX XXXXXXXXXXX XXX XXXX XXXXXX XXXXXXXXXXX XXXX -150 X -196 XXXXX XXXXXX XXXXXX

XXXXXXXX XXXXXXXXXXX / XXXXXX XXXXXXXXXXX / HLA

Sterility

XXXXXXXX XXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX XX XX XXXXXXXXXXXX XXXXXXXXXXX XXX XXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX (PCR) XXXXX XXXXXX XX
XXXXXXXX XX XXXX XXXX XXXXXX XX XXXXX XX XXXXXX XXX XXXXXX XXXXXX XXXXXXXXXXX XXXXXX XXXXXXXXXXX XXXXXXXXXXX