

Product sheet

RL95-2 RL95-2 | 305062

General information

Description	...
Organism	...
Tissue	...
Disease	...
Synonyms	RL95_2 RL-95-2 RL-95-2 RL-952 RL952 RL95

Subject information

Age	65
Gender	...
Ethnicity	...
Morphology	...
Growth properties	...

Identification

Citation	RL95-2 (... 305062)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0505

Additional information

Notes

Product sheet

RL95-2 RL95-2 | 305062

Culture Medium DMEM: DMEM:Ham's F12 (1:1) 3.1 µg/ml / 2.5 µg/ml 15 µg/ml (15 µg/ml)

Supplements 10% FBS 0.005 µg/ml

Dissociation Reagent

Subculturing PBS

Split ratio 1:2 1:4

Fluid renewal 2 3

Freeze medium (10% FBS) + 10% DMSO

Thawing and Culturing Cells

1. Add 10 µl of the cell suspension to each well of a 96-well plate.
2. Incubate at 37 °C for 24 hours.
3. Add 10 µl of fresh medium to each well.
4. Incubate at 37 °C for 72 hours.
5. Add 10 µl of fresh medium to each well.
6. Incubate at 37 °C for 72 hours.
7. Add 10 µl of fresh medium to each well.
8. Incubate at 37 °C for 72 hours.

Incubation Atmosphere 37 °C

Flask Coating

