

HEK293 | 300192

HEK293 | 300192

| | |
|-----------------------------|---------------|
| Receptors expressed | |
| Protein expression | CEA p53 |
| Tumorigenic | |
| Virus susceptibility | 5 DNA 5 DNA 5 |
| Ploidy status | 30% HEK293 64 |

HEK293 | 300192

| | |
|-----------------------------|--|
| Culture Medium | EMEM (MEM Eagle) 2 2.2 NaHCO ₃ EBSS (820100a) |
| Supplements | 10 1 |
| Dissociation Reagent | |
| Doubling time | 30 |
| Subculturing | PBS |
| Seeding density | 1×10^4 4 |
| Fluid renewal | 2 |
| Post-Thaw Recovery | 24 |
| Freeze medium | (FBS) + 10% DMSO |

HEK293 | 300192

Thawing and Culturing Cells

1. [Redacted]
2. [Redacted]
3. [Redacted]
4. [Redacted]
5. [Redacted]
6. [Redacted]
7. [Redacted]
8. [Redacted]

Incubation Atmosphere 37 [Redacted]

Flask Coating [Redacted]

Freezing Procedure [Redacted]

Shipping Conditions [Redacted]

Storage Conditions [Redacted]

[Redacted] / [Redacted] / HLA

Sterility [Redacted]

HEK293 | 300192

HLA

A*: '03:01:01

B*: '07:02:01

C*: '07:02:01

DRB1*: '15:01:01

DQA1*: '01:02:01

DQB1*: '06:02:01

DPB1*: '04:01:01

E: '01:03:02