

## B-LCL-HROC32 (Bc HROC32) | 300862

### Cell Line

<b>Description</b>	B-LCL-HROC32 (Bc HROC32) is a cell line derived from a patient with B-cell lymphoma. It is a B-cell derived cell line that is EBV (EBV) negative. The cell line is characterized by the expression of B-cell markers such as CD19, CD20, and CD22. It is a non-adherent cell line that grows in suspension. The cell line is maintained in RPMI 1640 medium supplemented with 10% fetal bovine serum (FBS) and 1% penicillin-streptomycin. It is a B-cell derived cell line that is EBV (EBV) negative. The cell line is characterized by the expression of B-cell markers such as CD19, CD20, and CD22. It is a non-adherent cell line that grows in suspension. The cell line is maintained in RPMI 1640 medium supplemented with 10% fetal bovine serum (FBS) and 1% penicillin-streptomycin.
--------------------	--

<b>Organism</b>	Human
-----------------	-------

<b>Tissue</b>	lymph node
---------------	------------

<b>Disease</b>	B-cell lymphoma
----------------	-----------------

<b>Synonyms</b>	B-LCL CO32, Bc HROC32
-----------------	-----------------------

### Cell Line

<b>Age</b>	82 years
------------	----------

<b>Gender</b>	Female
---------------	--------

<b>Ethnicity</b>	White
------------------	-------

<b>Morphology</b>	Non-adherent, suspension
-------------------	--------------------------

<b>Cell type</b>	B-cell
------------------	--------

<b>Growth properties</b>	Non-adherent, suspension
--------------------------	--------------------------

### References

<b>Citation</b>	B-LCL-HROC32 (Bc HROC32) (ATCC CCL-300862)
-----------------	--

<b>Biosafety level</b>	2
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------



