

JEG-3 | 300222

IDENTIFICATION INFORMATION

Isoenzymes PGM3 1-2 PGM1 1 ES-D 1 AK-1 1 GLO-1 1-2 G6PD B

Tumorigenic Not tumorigenic

Products Cell lines for research purposes (not for clinical use)

CULTURE CONDITIONS

Culture Medium EMEM (MEM Eagle) 2 mM L-glutamine 2.2 mM NaHCO3 EBSS (820100a)

Supplements 10% FBS 1% Penicillin 1% Streptomycin

Dissociation Reagent Trypsin

Doubling time 36 hours

Subculturing Seed cells into fresh medium with 10% FBS

Seeding density 2 x 10^4 cells per well

Fluid renewal 2-3 times per week

Post-Thaw Recovery Allow cells to recover for 24-48 hours

Freeze medium 10% FBS + 10% DMSO

JEG-3 | 300222

Thawing and Culturing Cells

1. [Redacted]
2. [Redacted]
3. [Redacted]
4. [Redacted]
5. [Redacted]
6. [Redacted]
7. [Redacted]
8. [Redacted]

Incubation Atmosphere 37 [Redacted]

Flask Coating [Redacted]

Freezing Procedure [Redacted]

Shipping Conditions [Redacted]

Storage Conditions [Redacted]

[Redacted] / [Redacted] / HLA

Sterility [Redacted]

XXXXXXXX JEG-3 | 300222

XXXXXXXX HLA

A*: '01:01:01, '11:01:01

B*: '08:13, '35:01:00

C*: '04:01:01, '07:01:01

DRB1*: '01:03:01, '03:01:01

DQA1*: '01:01:01, '05:01:01

DQB1*: '02:01:01, '05:01:01

DPB1*: '01:01:01, '04:01:01

E: '01:01:01