

Product sheet

U2OS-CRISPR-TPR-SNAP | 300667

Protein expression TPR SNAP-tag

Media

Culture Medium DMEM 5 ml 3.0 g/l Glucose 2.0 ml 2.2 g/l NaHCO3 (1000 mg/l)

Supplements 10% FBS 3.0 ml 2.0 ml 2.2 g/l NaHCO3

Dissociation Reagent Trypsin

Subculturing 10% FBS 3.0 ml 2.0 ml 2.2 g/l NaHCO3

Freeze medium DMEM 5 ml 3.0 g/l Glucose 2.0 ml 2.2 g/l NaHCO3 + 10% DMSO (10% FBS)

Thawing and Culturing Cells

1. Thaw cells in a 37°C water bath.
2. Add 10% FBS to the culture medium.
3. Seed cells into a 24-well plate.
4. Incubate cells for 24 hours.
5. Harvest cells after 72 hours.
6. Seed cells into a 96-well plate.
7. Incubate cells for 24 hours.
8. Harvest cells after 72 hours.

Incubation Atmosphere 37°C 5% CO2

Flask Coating None

U2OS-CRISPR-TPR-SNAP | 300667

Freezing Procedure [Redacted text] -78

Shipping Conditions [Redacted text] -78

Storage Conditions [Redacted text] -150 -196 [Redacted text]

[Redacted] / [Redacted] / HLA

Sterility [Redacted text] (PCR) [Redacted text]
[Redacted text]