

XXXXXXXXAH-130 | 500412

NCBI_TaxID 10116

CellosaurusAccession CVCL_4367

GMO Status No genetic modification; transplantable rat ascites hepatoma derived from aminoazo dye-induced primary hepatoma by Yoshida (1956)

XXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXX

Tumorigenic XXXXX XX XXXXXXXX XXXXXXXX XXXXX

Viruses XXXXXXXX RAP XXXXX .

Virus susceptibility XXXXXXXX XXXXXXXX XXXXXXXXXXXX XXXXXXXX XXXXXXXX

XXXXXXXXXXXX

Culture Medium DMEM: DMEM:Ham's F12 (1:1) XX 3.1 XX/XXXX XXXXXXXX XX 2.5 XXXX XXXXXXXX XXXXXXXX XX 15 XXXX XXXXXXXX XXXXXXXX (15 XXXX XXXXXXXX XXXXXXXX)

Supplements XX XXXXXXXX XXXXXXXX XX 10XX XX XX FBS

Dissociation Reagent XXXXXXXX

Doubling time approx. 18 to 24 hours (fast growing; BD=Fast confirmed)

Subculturing XXXXX XXXXXXXX XXXXXXXX XX XXXXXXXX XXXX 15 XX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX PBS XXXXX XXXXXXXX XXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX

Split ratio 1 to 3

Seeding density 2×10^4 / XXXXX

Fluid renewal XX 3 XXXX5 XXXXX

Post-Thaw Recovery XXXXX

Freeze medium XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXX XXXX XXXXX (XXXX XX XXXX FBS) + 10% DMSO XX XXXX XXXXXXXX XXXX XXXXXXXX XXXXXXXX XXXX XXXXXXXX XXXXXXXX XXXXXXXX

