Product sheet

[redacted] AH-130 | 500412

[redacted]

Description	[redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	Yoshida AH-130, Yoshida AH130, AH130, AH130, AH130 AH 130, AH-130 Yoshida, AH130-TC, AH130/P

[redacted]

Breed/Subspecies	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	AH-130 ([redacted] 500412)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4367

[redacted]

Tumorigenic	[redacted]
Viruses	[redacted] RAP [redacted] .

[redacted]AH-130 | 500412

Virus susceptibility	[redacted]

[redacted]

Culture Medium	DMEM: DMEM:Ham's F12 (1:1)[redacted] 3.1 [redacted]/[redacted] [redacted] 2.5 [redacted] [redacted] 15 [redacted] [redacted] (15 [redacted] [redacted]
Supplements	[redacted] 10[redacted] [redacted] FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] 15 [redacted] PBS [redacted]
Seeding density	2×10^4 [redacted]
Fluid renewal	[redacted]3 [redacted]5 [redacted]
Post-Thaw Recovery	[redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

[redacted]AH-130 | 500412

Thawing and Culturing Cells	1. [redacted] 2. [redacted]-150 [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 300 × [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37 [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted] -78 [redacted]
Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] (PCR) [redacted]