

Product sheet

HEP-70.4 | 400207

HEP-70.4 | 400207

Description

HEP-70.4 is a cell line derived from Hep-70.4 cells, which were established from a primary culture of Hep-70.4 cells. The cells are maintained in DMEM supplemented with 10% FBS and 100 µg/ml penicillin, 100 µg/ml streptomycin, and 100 µg/ml nystatin. The cells are characterized by their ability to form colonies in soft agar and their tumorigenicity in nude mice. The cells are also characterized by their ability to express high levels of Hsp70 and Hsp90.

HEP-70.4 is a cell line derived from Hep-70.4 cells, which were established from a primary culture of Hep-70.4 cells. The cells are maintained in DMEM supplemented with 10% FBS and 100 µg/ml penicillin, 100 µg/ml streptomycin, and 100 µg/ml nystatin. The cells are characterized by their ability to form colonies in soft agar and their tumorigenicity in nude mice. The cells are also characterized by their ability to express high levels of Hsp70 and Hsp90.

HEP-70.4 is a cell line derived from Hep-70.4 cells, which were established from a primary culture of Hep-70.4 cells. The cells are maintained in DMEM supplemented with 10% FBS and 100 µg/ml penicillin, 100 µg/ml streptomycin, and 100 µg/ml nystatin. The cells are characterized by their ability to form colonies in soft agar and their tumorigenicity in nude mice. The cells are also characterized by their ability to express high levels of Hsp70 and Hsp90.

Organism HEP-70.4

Tissue HEP-70.4

Disease HEP-70.4

Synonyms HEP-70.4, 70.4, 70.4

HEP-70.4 | 400207

Breed/Subspecies C57BL/6J

Age HEP-70.4

Gender HEP-70.4

Morphology HEP-70.4

Growth properties HEP-70.4

HEP-70.4 | 400207

Citation Hep-70.4 (HEP-70.4 | 400207)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5772

Product sheet

Hep-70.4 | 400207

Characteristics

Tumorigenic	Mouse C3H/He
Mutational profile	P53

Culture

Culture Medium	DMEM 4.5 g/l NaHCO ₃ 1.0 g/l (82000)
-----------------------	---

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing	PBS
---------------------	-----

Seeding density	1×10^4
------------------------	-----------------

Fluid renewal	3-5
----------------------	-----

Post-Thaw Recovery	24-48
---------------------------	-------

Freeze medium	(FBS) + 10% DMSO
----------------------	------------------

