

Product sheet

XXXXXXXX CW-2 | 305134

XXXXXXXXXX XXXXX

Description XXXXX XX XXXXXXXX CW-2 XX XXXXX XXXXXXXX XXXXXXXX XXXXXXXX. XX XXXXX XX XXX XXXXXXXX XX XXXX XXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX
XX XXXXXXXX XXXXXXXX XXXX XXXXX CW-2 XXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXX XXXXXXXX XX XXXXX APC KRAS
XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXX XXXXX CW-2 XX XXXXX XXXXXXXX XXXXXXXX XXXXXXXX XXXX XXXX XXX XXXXXXXX XXXXXXXX XXXXXXXX

Organism XXXXXXXX

Tissue XXXXXXXX

Synonyms CW2

XXXXXXXXXX

Age 55 XXX

Gender XXXX

Ethnicity XXXXX

Morphology XXXXXXXX

Growth properties XXXXX

XXXXXXXXXXXX XXXXXXXXXXXXXXX

Citation CW-2 (XXXXXXXX XXXXXXXX XX XXXXXXXX 305134)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1151

XXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXXX

Tumorigenic XXX

CW-2 | 305134

Media

Culture Medium RPMI 1640 2.0 2.0 / NaHCO₃ (820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS

Fluid renewal 2-3

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cells in a 37°C water bath.
 2. Centrifuge cells at 300 x g for 3 minutes.
 3. Wash cells with PBS.
 4. Resuspend cells in 70% FBS.
 5. Seed cells into a 15 cm dish.
 6. Incubate cells for 8 hours.
 7. Wash cells with PBS.
 8. Seed cells into a 300 x 3 cm dish.

Incubation Atmosphere 37°C

Flask Coating

