Product sheet

[redacted] Hep-CLS-C9 | 400195

[redacted]

Description	[redacted] C3H/HE: [redacted] C3H/HE [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HEP-CLS-C9 C9

[redacted]

Breed/Subspecies	C3H/HE
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Hep-CLS-C9 ([redacted] 400195)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5776

[redacted]

Tumorigenic	[redacted] C3H/HE

Product sheet

[illegible] Hep-CLS-C9 | 400195

Mutational profile	P53 wt

[illegible]

Culture Medium	RPMI 1640[illegible] ث: 2.0 مستقر جلوتامين مولار مللي[illegible] ث: 2.0 جم/ لتر NaHCO3 (رقم المادة 820700a من سايتيون)
Supplements	قم بتزويد الوسط ب 10[illegible] من ال FBS
Dissociation Reagent	أكوتاس
Subculturing	قم بإزالة الوسط القديم من الخلايا الملتصقة واغسلها باستخدام PBS الذي يفتقر إلى الكالسيوم والمغنيسيوم . بالنسبة لقو
Seeding density	1 × 10^4 / [illegible]
Fluid renewal	كل 3 إلى 5 أيام
Post-Thaw Recovery	وأ[illegible]ك الخلايا تتعافى من عملية التجميد وتلتصق ضع الخلايا في طبق 24 ساعة على الأقل بعد الذوبان
Freeze medium	كوسيط للحفظ بالتبريد [illegible] نستخدم وسط نمو كامل)بما في ذلك FBS) + 10% DMSO من أجل الحفاظ على حيوية كافية بعد ذوبان الجليد

[illegible] Cytion GmbH | Nikola-Tesla-Str. 3 | 69124 [illegible] | [illegible]
[illegible]: +49(0)6221 405780+ | www.cytion.com | info@cytion.com
2

Hep-CLS-C9 | 400195

Thawing and Culturing Cells	1. [illegible] 2. [illegible] -150 [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] 300 × [illegible] 3 [illegible] 7. [illegible] 10 [illegible] 8. [illegible]
Incubation Atmosphere	37 [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible] -78
Shipping Conditions	[illegible] -78
Storage Conditions	[illegible] -150 [illegible] -196 [illegible]

/ / HLA

Sterility	[illegible] (PCR) [illegible]