Product sheet

[redacted] A673 | 300454

[redacted]

Description	[redacted] A673 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	A-673, RMS 1598, RMS1598, RMS1598

[redacted]

Age	15 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	A673 ([redacted] 300454)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0080

Product sheet

[illegible] A673 | 300454

[illegible]

Tumorigenic	نعم في الفئران المثبطة للمناعة
Virus susceptibility	حساسية عالية للفيروسات الغدية للإنسان

[illegible]

Culture Medium	820رقم المادة (مليمتر بيروفات الصوديوم 1.0 :ث NaHCO3 لتر /جم 3.7 :ث مليمتر جلوتامين 4 :ث لتر جلوكوز /جم 4.5 :ث DMEM
Supplements	قم بتزويد الوسط ب 10 من ال FBS
Dissociation Reagent	أكوتاس
Doubling time	28 ساعة
Subculturing	قم بإزالة الوسط القديم من الخلايا الملتصقة واغسلها باستخدام PBS الذي يفتقر إلى الكالسيوم والمغنيسيوم . بالنسبة لقو
Seeding density	خلية تؤدي إلى طبقة أحادية متقاربة في غضون 8 أيام . 1×10^4
Fluid renewal	2 إلى 3 مرات في الأسبوع
Post-Thaw Recovery	وأك الخلايا تتعافى من عملية التجميد وتتلصق لضع الخلايا في طبق بعد 24 ساعة على الأقل بعد الذوبان
Freeze medium	كوسيط للحفظ بالتبريد نستخدم وسط نمو كامل (بما في ذلك FBS) + 10% DMSO من أجل الحفاظ على حيوية كافية بعد ذوبان الجليد

Cytion GmbH | Nikola-Tesla-Str. 3 | 69124 |
: +49(0)6221 405780+ | www.cytion.com | info@cytion.com
2

Thawing and Culturing Cells

1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible]
6. [illegible]
7. [illegible]
8. [illegible]

Incubation Atmosphere	37 [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible] / [illegible] / HLA

Sterility	[illegible]