Product sheet

[redacted] RTE-2 | 500327

[redacted]

Description	RTE-2 [redacted] RTE-2 [redacted] RTE-2 [redacted]
Organism	[redacted]
Tissue	[redacted]
Synonyms	RTE2[redacted] RTE 2[redacted] 2

[redacted]

Breed/Subspecies	[redacted]- [redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	RTE-2 ([redacted] 500327)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_5889

[redacted]

Tumorigenic	[redacted]

[redacted]

RTE-2 | 500327

Culture Medium	DMEM: 4.5 g/l Glucose; 4 mM L-Glutamine; 3.7 g/l NaHCO3; 1.0 mM Sodium Pyruvate (820
Supplements	10% FBS
Dissociation Reagent	Trypsin
Subculturing	PBS
Fluid renewal	2 - 3
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. -150 3. 37 4. 70% 5. 15 8 6. 300 × 3 7. 10 8.
Incubation Atmosphere	37
Flask Coating	
Freezing Procedure	-78

[redacted] RTE-2 | 500327

Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] (PCR) [redacted] [redacted].