

# STO | 400165

<b>Description</b>	Human embryonic kidney (HEK) 293T cells, derived from HEK293 cells by transfection with SV40 large T antigen. Cells are maintained in DMEM supplemented with 10% fetal bovine serum (FBS) and 1% penicillin-streptomycin. Cells are grown in T75 flasks (Corning) and harvested by trypsinization. Cells are resuspended in DMEM supplemented with 10% FBS and 1% penicillin-streptomycin. Cells are stored in liquid nitrogen.
<b>Organism</b>	Human
<b>Tissue</b>	Embryonic kidney
<b>Breed/Subspecies</b>	HEK293T
<b>Age</b>	Passage 1-10
<b>Gender</b>	Not applicable
<b>Growth properties</b>	Adherent, suspension
<b>Citation</b>	STO (HEK293T cells, derived from HEK293 cells, 400165)
<b>Biosafety level</b>	1
<b>NCBI_TaxID</b>	10090
<b>CellosaurusAccession</b>	CVCL_3420
<b>Viruses</b>	Not applicable
<b>Culture Medium</b>	EMEM (MEM Eagle) 2x, 2x MEM (MEM Eagle) 2x, 2.2x MEM/NaHCO3, EBSS (MEM Eagle 820100a, MEM Eagle)
<b>Supplements</b>	10x MEM (MEM Eagle) 10x, 10x MEM (MEM Eagle) 10x, 10x MEM (MEM Eagle) 10x



