Product sheet

[redacted] HROC183 T0 M2 HROC183 T0 M2 | 300810

[redacted]

Description	[redacted]
Organism	[redacted]
Tissue	[redacted] UICC IIIb[redacted]
Disease	[redacted]
Synonyms	HROC183x

[redacted]

Age	59 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HROC183 T0 M2 ([redacted] 300810)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D17

[redacted]

Protein expression	PTEN

HROC183 T0 M2 HROC183 T0 M2 | 300810

Antigen expression	CD326+ CD44+ CD44+ CD15+ CD71+ CD73 CD274+ CD47+ CD54+ CD95+ CD276+ CD133 CD66acdew CD66acdeweak IDO+ cFLIP+ MHC-I+ MHCIIweak IFN-y EpCAM+
Tumorigenic	
Viruses	SV40 JC/BK
Ploidy status	
MSI-status	MSS
Mutational profile	APCR1450*, p53R280W, K-RasG12d, N-Raswt, H-Raswt, PIK3CAwt, B-Rafwt

Culture Medium	DMEM: DMEM:Ham's F12 (1:1) 3.1 / 2.5 15 (15
Supplements	10 FBS
Dissociation Reagent	
Doubling time	29
Subculturing	PBS
Seeding density	2×10^4 /
Fluid renewal	3 5
Post-Thaw Recovery	
Freeze medium	(FBS) + 10% DMSO

HROC183 T0 M2 HROC183 T0 M2 | 300810

Thawing and Culturing Cells

1. [illegible]
2. [illegible] -150 [illegible]
3. [illegible] 37 [illegible]
4. [illegible] 70% [illegible]
5. [illegible] 15 [illegible] 8 [illegible]
6. [illegible] 300 × [illegible] 3 [illegible]
7. [illegible] 10 [illegible]
8. [illegible]

Incubation Atmosphere

37 [illegible]

Flask Coating

[illegible]

Freezing Procedure

[illegible] -78 [illegible]

Shipping Conditions

[illegible] -78 [illegible]

Storage Conditions

[illegible] -150 [illegible] -196 [illegible]

[illegible] / [illegible] / HLA

Sterility

[illegible] (PCR) [illegible]

[illegible]