Product sheet

[redacted]HROC131 T0 M3 HROC131 T0 M3 | 300805

[redacted] [redacted]

Description	[redacted]
Organism	[redacted]
Tissue	[redacted] UICC IIIa[redacted]
Disease	[redacted]
Synonyms	HROC131, HROC131x

[redacted]

Age	75 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted] [redacted]

Citation	HROC131 T0 M3 ([redacted] 300805)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D13

[redacted] [redacted] [redacted]

Protein expression	PTEN

HROC131 T0 M3 HROC131 T0 M3 | 300805

Tumorigenic	
Viruses	SV40 JC/BK
Ploidy status	
MSI-status	MSI-H
Mutational profile	K-Ras wt, B-RAFmut, N-Raswt, H-Raswt, PIK3CAwt

Culture Medium	DMEM: DMEM:Ham's F12 (1:1) 3.1 / 2.5 15 (15
Supplements	10 FBS
Dissociation Reagent	
Doubling time	29
Subculturing	PBS
Seeding density	2×10^4 /
Fluid renewal	3 5
Post-Thaw Recovery	
Freeze medium	(FBS) + 10% DMSO

HROC131 T0 M3 HROC131 T0 M3 | 300805

Thawing and Culturing Cells

1. [illegible]
2. [illegible] -150 [illegible]
3. [illegible] 37 [illegible]
4. [illegible] 70% [illegible]
5. [illegible] 15 [illegible] 8 [illegible]
6. [illegible] 300 × [illegible] 3 [illegible]
7. [illegible] 10 [illegible]
8. [illegible]

Incubation Atmosphere

37 [illegible]

Flask Coating

[illegible]

Freezing Procedure

[illegible] -78 [illegible]

Shipping Conditions

[illegible] -78 [illegible]

Storage Conditions

[illegible] -150 [illegible] -196 [illegible]

[illegible] / [illegible] / HLA

Sterility

[illegible] (PCR) [illegible]

[illegible]