Product sheet

[redacted] HK EGFP-alpha-tubulin/H2B-mCherry | 300670

[redacted]

Description	[redacted] HK EGFP-alpha-tubulin/H2B-mCherry HeLa Kyoto [redacted] pH2B-mCherry-IRES-neo3 [redacted] GFP [redacted] α-tu
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HeLa Kyoto EGFP-a-tubulin/H2B-mCherry ▯HLa H2B-mRFP ▯MEGFP-alpha-tubulin

[redacted]

Age	30 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HK EGFP-alpha-tubulin/H2B-mCherry ([redacted] 300670)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_L802
Depositor	[redacted] (EMBL)

[redacted]HK EGFP-alpha-tubulin/H2B-mCherry | 300670

GMO Status	GMO-S1: [redacted] HeLa Kyoto [redacted] EGFP-α-tubulin [redacted] H2B-mCherry [redacted]

[redacted]

Protein expression	EGFP-alpha-tubulin[redacted] H2B-mCherry: [redacted] / [redacted]: 1...589 / Pcmv[redacted] 652...1029 H2B[redacted] 1042...1752 / mCherry[redacted] 2983...3777 / KanR/NeoR
Viruses	[redacted] B [redacted] C.
Products	[redacted] CMV[redacted] H2B[redacted]

[redacted]

Culture Medium	DMEM[redacted]: 4.5 [redacted]/[redacted] [redacted]: 4 [redacted]: 3.7 [redacted]/[redacted] NaHCO3[redacted]: 1.0 [redacted]
Supplements	[redacted] 10[redacted] [redacted] FBS
Dissociation Reagent	[redacted]
Doubling time	24 [redacted]
Subculturing	[redacted] PBS [redacted]
Seeding density	1×10^4 / [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

[redacted]HK EGFP-alpha-tubulin/H2B-mCherry | 300670

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted]
4. [redacted]
5. [redacted]
6. [redacted]
7. [redacted]
8. [redacted]

Incubation Atmosphere

37 [redacted]

Flask Coating

[redacted]

Freezing Procedure

[redacted]

Shipping Conditions

[redacted]

Storage Conditions

[redacted]

[redacted]/ [redacted]/ HLA

Sterility

[redacted]