

UWO37 | 300257

Description UWO37 (HPV16)
UWO37

Organism

Tissue

Disease

Applications HNSCC

Synonyms

Age 64

Gender

Growth properties

Citation UWO37 (300257)

Biosafety level 2

NCBI_TaxID 9606

CellosaurusAccession CVCL_B7MH

Viruses 16 (HPV16)

UWO37 | 300257

Culture Medium DMEM: DMEM:Ham's F12 (1:1) 3.1 µg/ml / 2.5 µg/ml 15 µg/ml (15 µg/ml)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS

Freeze medium (10% FBS) + 10% DMSO

Thawing and Culturing Cells

1. Add 10 µl of the cell suspension to each well of a 96-well plate.
2. Incubate at 37 °C for 24 hours.
3. Add 100 µl of fresh medium to each well.
4. Incubate at 37 °C for 72 hours.
5. Add 10 µl of the cell suspension to each well of a 96-well plate.
6. Incubate at 37 °C for 24 hours.
7. Add 100 µl of fresh medium to each well.
8. Incubate at 37 °C for 72 hours.

Incubation Atmosphere 37 °C, 5% CO₂

Flask Coating

Freezing Procedure

