Product sheet

[redacted] 3T3-L1 | 400107

[redacted]

Description	[redacted] 3T3-L1 [redacted] "3T3-L1" [redacted] 3T3-L1 [redacted] 3T3-L1 [redacted] 3T3-L1 [redacted] 3T3-L1 [redacted] 3T3-L1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted] 3T3-L1 [redacted]
Synonyms	3T3 L1, 3T3L1, 3T3L1, 3T3-L1 ad, NIH-3T3-L1, NIH3T3-L1

[redacted]

Breed/Subspecies	[redacted]
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted] / [redacted] ([redacted])
Growth properties	[redacted]

[redacted]

Citation	3T3-L1 ([redacted] 400107)

[redacted] 3T3-L1 | 400107

Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0123
GMO Status	[redacted] 3T3-L1 [redacted] NIH/3T3 [redacted]

[redacted]

Tumorigenic	[redacted]
Virus susceptibility	[redacted]
Products	[redacted]
Ploidy status	[redacted]
Karyotype	2n=40

[redacted]

Culture Medium	DMEM [redacted]: 4.5 [redacted]/[redacted] [redacted]: 4 [redacted]: 3.7 [redacted]/[redacted] NaHCO3 [redacted]: 1.0 [redacted] (820
Supplements	[redacted] 10 [redacted] FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted]
Split ratio	[redacted] 1 [redacted] 5
Seeding density	[redacted] 1 [redacted] 3×10^4 [redacted]/[redacted]^2
Fluid renewal	[redacted] 3 [redacted]

[redacted] 3T3-L1 | 400107

Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150 [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 300 × [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37 [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted] -78 [redacted]
Shipping Conditions	[redacted] -78 [redacted]
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted]

[redacted]3T3-L1 | 400107

Sterility	[redacted] (PCR) [redacted]