Product sheet

[illegible] 3T3-L1 | 400107

[illegible]

Description	[illegible] 3T3-L1 [illegible]. [illegible] [illegible] "3T3-L1" [illegible] 3T3-L1 [illegible] 3T[illegible] [illegible] 3T3-L1 [illegible] [illegible] 3T3-L1 [illegible] [illegible] 3T3-L1 [illegible]
Organism	[illegible]
Tissue	[illegible]
Metastatic site	[illegible] ([illegible])
Applications	[illegible] 3T3-L1 [illegible]
Synonyms	3T3 L1, 3T3L1, 3T3L1, 3T3-L1 ad, NIH-3T3-L1, NIH3T3-L1

[illegible]

Breed/Subspecies	[illegible]
Age	[illegible]
Gender	[illegible]
Morphology	[illegible]
Cell type	[illegible] / [illegible] ([illegible])
Growth properties	[illegible]

[illegible]

Citation	3T3-L1 ([illegible] 400107)

3T3-L1 | 400107

Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0123
GMO Status	3T3-L1 NIH/3T3

Tumorigenic	
Virus susceptibility	
Products	
Ploidy status	
Karyotype	2n=40

Culture Medium	DMEM 4.5 / 4 3.7 / NaHCO3 1.0 (820
Supplements	10 FBS
Dissociation Reagent	
Subculturing	PBS
Split ratio	1 5
Seeding density	1 3×10^4 / ^{2}
Fluid renewal	3

[redacted]3T3-L1 | 400107

Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150 [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 300 × [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37 [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted] -78
Shipping Conditions	[redacted] -78
Storage Conditions	[redacted] -150 [redacted] -196 [redacted]

[redacted]

[redacted]3T3-L1 | 400107

Sterility	[redacted] (PCR) [redacted]