

Product sheet

NCI-H1395 | 305118

Cell Line Information

<b>Description</b>	NCI-H1395 (NSCLC) 55
<b>Organism</b>	
<b>Tissue</b>	
<b>Disease</b>	
<b>Synonyms</b>	NCI-H1395, H-1395, NCIH1395

Donor Information

<b>Age</b>	55
<b>Gender</b>	
<b>Ethnicity</b>	
<b>Morphology</b>	
<b>Growth properties</b>	

Identification & Accession

<b>Citation</b>	NCI-H1395 (305118)
<b>Biosafety level</b>	1
<b>NCBI_TaxID</b>	9606
<b>CellosaurusAccession</b>	CVCL_1467

Additional Information

Notes

Product sheet

NCI-H1395 | 305118

**Culture Medium** RPMI 1640 2.0  $\times$  2.0  $\times$  2.0 /  $\times$  NaHCO<sub>3</sub> (820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing**

**Fluid renewal** 2-3

**Freeze medium**

- Thawing and Culturing Cells**
1. Add 1 ml of medium to each well of a 96-well plate.
  2. Incubate at 37°C for 24 hours.
  3. Add 100  $\mu$ l of cells to each well.
  4. Incubate at 37°C for 72 hours.
  5. Add 100  $\mu$ l of medium to each well.
  6. Incubate at 37°C for 3 days.
  7. Add 10  $\mu$ l of cells to each well.
  8. Incubate at 37°C for 72 hours.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure**

