Product sheet

[illegible] HTR-8/SVneo | 305221

[illegible]

Description	HTR-8/SVneo [illegible], [illegible] α3, α5, αv [illegible]-β1, [illegible] αvβ3/β5 vitronectin receptor). [illegible] 63/D α6 [illegible]-β4, [illegible] [illegible] HTR-8/SVneo [illegible], [illegible] (EM [illegible] [illegible] HTR-8/SVneo [illegible], [illegible]. [illegible]
Organism	[illegible]
Tissue	[illegible], [illegible]
Synonyms	HTR-8/SV neo, HTR-8/SV-neo, HTR8/SVneo, HTR8svn

[illegible]

Age	6-12 [illegible]
Gender	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	HTR-8/SVneo ([illegible] Cytion 305221)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_7162
GMO Status	GMO-S1: [illegible] (HTR-8/SVneo) [illegible] SV40 T-Antigen [illegible]

[illegible]- [illegible]

HTR-8/SVneo | 305221

Viruses	40 (pSV3neo SV40)

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS T25, PBS, 3
Freeze medium	FBS) + 10% DMSO C

Thawing and Culturing Cells

1.
2. -150°C
3. 37
4. 70%
5. 15 8
6. -300 x g 3
7. -10 T2
8. -

Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	,

HTR-8/SVneo | 305221

Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible] / [illegible] / HLA

Sterility	[illegible] PCR [illegible]