Product sheet

[redacted] HepG2.2.15 | 305227

[redacted]

Description	[redacted] HepG2.2.15 [redacted] HepG2, [redacted] [redacted] HepG2.2.15 [redacted] HBV [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HEP-G2/2.2.15, Hep-G2/2215, HepG2/2215, HepG2-2.2.15, HepG2 2.2.15, HepG/2.2.15, HepG2(2.2.15), 2.2.15

[redacted]

Age	15 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HepG2.2.15 ([redacted] Cytion 305227)
Biosafety level	2
NCBI_TaxID	9606
CellosaurusAccession	CVCL_L855

[redacted]

[redacted]

[redacted] HepG2.2.15 | 305227

Culture Medium	Ham's F12K Medium, w: 2.0 mM L-Glutamine, w: 2.0 mM Sodium pyruvate, w: 2.5 g/L NaHCO3 ([redacted] Cytion 820608a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted]-PBS [redacted] T25, [redacted]-3-5 [redacted] PBS, [redacted] 3 [redacted]
Seeding density	5 x 10^4 [redacted]/[redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted]-150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted]-300 x g [redacted] 3 [redacted] 7. [redacted]-10 [redacted] T2 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

[redacted] HepG2.2.15 | 305227

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]