Product sheet

[redacted] NCI-H2170 | 305276

[redacted]

Description	[redacted] NCI-H2170 [redacted]. [redacted], [redacted] [redacted] NCI-H2170 [redacted] [redacted]-p63. [redacted] H2170 [redacted] NCI-H2170 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H2170, H-2170, NCIH2170

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H2170 ([redacted] Cytion 305276)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1535

[redacted]

[redacted] NCI-H2170 | 305276

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS, [redacted] 2.5 [redacted]/[redacted] [redacted]-10 [redacted] HEPES
Dissociation Reagent	[redacted]
Subculturing	[redacted]-PBS [redacted] T25, [redacted]-3-5 [redacted] PBS, [redacted] 3 [redacted]. [redacted] T25 [redacted]
Fluid renewal	1 [redacted] 2 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted] C
Thawing and Culturing Cells	1. [redacted] 2. [redacted]-150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted]-300 x g [redacted] 3 [redacted] 7. [redacted]-10 [redacted] T2 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

[redacted] NCI-H2170 | 305276

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted] [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]