Product sheet

EBC-1 | 305539

[redacted]

Description	EBC-1 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] EBC-1 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] MET, [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] [redacted] [redacted] [redacted]
Metastatic site	[redacted]
Synonyms	EBC-1/[redacted], EBC1

[redacted]

Age	69 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Growth properties	[redacted]

[redacted]

Citation	EBC-1 ([redacted] [redacted] Cytion 305539)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2891

[redacted]

EBC-1 | 305539

Mutational profile	: DDR2, p.Thr681Ile (c.2042C>T), ; : EGFR, p.Leu858Arg (c.2573T>G), ; : TP53, p.G

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 '- PBS, 3 .
Freeze medium	(FBS) + 10% DMSO 70% 15 '- 8 '- -300 x g 3 -10 '- T2

Thawing and Culturing Cells

1.
2. -150°C
3. 37
4. 70%
5.
6.
7.
8.

Incubation Atmosphere	37°C, 5%$_{CO2}$,

[redacted]EBC-1 | 305539

Flask Coating	[redacted], [redacted]
Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]