Product sheet

[illegible] BFTC-905 | 305749

[illegible]

Description	[illegible] BFTC-905 [illegible] (TCC) [illegible] [illegible] in situ (M-FISH) [illegible] [illegible]-BFTC-905, [illegible] BFTC-905 [illegible], [illegible] Cancer Cell Line Encyclopedia (CCLE) [illegible]-Genomics of Drug Se 905 [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	BFTC 905, BFTC905, [illegible] "[illegible]" 905

[illegible]

Age	51 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Cell type	[illegible]
Growth properties	[illegible]

[illegible]

Citation	BFTC-905 ([illegible] Cytion: 305749)
Biosafety level	1
NCBI_TaxID	9606

BFTC-905 | 305749

CellosaurusAccession	CVCL_1083

-

Isoenzymes	G6PD; MD; LD
Viruses	; PCR: EBV , HBV , HCV , HHV-8 , HIV-1 , HIV-2 , H
Mutational profile	: NRAS, , p.Gln61Leu (c.182A>T), (Cosmic-CLP=910926), TP53, , c.673-2A>T (IVS6-2A>T),

Culture Medium	DMEM, w: 4.5 g/L , w: 4 mM L-, w: 3.7 g/L NaHCO3, w: 1.0 mM (Cytion 820300a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	60–70
Subculturing	-PBS . T25, -3-5 ' PBS, 3 . , , .
Seeding density	1 3 x 1 /
Fluid renewal	2 3
Freeze medium	, FBS) + 10% DMSO , C

BFTC-905 | 305749

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible] / [illegible] / HLA

Sterility	[illegible] PCR [illegible] [illegible]