Product sheet

[redacted] Panc02-Luc | 305706

[redacted]

Description	Panc02-Luc [redacted] Panc02, [redacted] Panc02 [redacted] Panc02-Luc [redacted] Panc02-Luc [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	[redacted] Panc02 [redacted]

[redacted]

Breed/Subspecies	C57BL/6
Age	[redacted]
Gender	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Panc02-Luc ([redacted] Cytion: 305706)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_E3IB

[redacted]

Panc02-Luc | 305706

Protein expression	

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	24–48
Subculturing	-PBS . T25, -3-5 ' PBS, 3 . + 10% DMSO .
Seeding density	1 3 x 10 /cm²
Fluid renewal	2 3
Freeze medium	

Thawing and Culturing Cells

1.
2. -150°C
3. 37
4. 70%
5. 15 ' 8 '
6. -200 x g 5 .
7.

[redacted]Panc02-Luc | 305706

Incubation Atmosphere	37°C, 5%$_{CO2}$, [redacted]
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted], [redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA