Product sheet

[redacted] NCI-H1755 | 305834

[redacted]

Description	NCI-H1755 [redacted] (NSCLC) [redacted]. [redacted] NCI-H1755 [redacted], [redacted] [redacted], [redacted] NCI-H1755 [redacted]- [redacted]. [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H1755, H-1755, NCIH1755

[redacted]

Age	65 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Cell type	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	NCI-H1755 ([redacted] Cytion 305834)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1492

[redacted]-[redacted]

[redacted] NCI-H1755 | 305834

Mutational profile	[redacted]: BRAF, [redacted], p.Gly469Ala (c.1406G>C), [redacted], TP53, [redacted], p.Cys242Phe (c.725G>T), [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted], [redacted] C

Thawing and Culturing Cells

1. [redacted]
2. [redacted] -150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted].
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] -300 x g [redacted] 3 [redacted]
7. [redacted] -10 [redacted] T2
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted].
Flask Coating	[redacted], [redacted]

[redacted] NCI-H1755 | 305834

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted] [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]