Product sheet

[redacted] Hep-G2/C3A | 305891

[redacted] [redacted]

Description	Hep-G2/C3A ([redacted] [redacted] [redacted] C3A) [redacted] [redacted] [redacted] [redacted] (Homo sapiens) [redacted] [redacted] [redacted] ([redacted]) [redacted] [redacted] 15. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], Hep-G2/C3A [redacted] [redacted] [redacted] [redacted]. [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HepG2/C3A, Hep G2/C3A, C3A

[redacted]

Age	15 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted] [redacted]

Citation	Hep-G2/C3A ([redacted] [redacted] Cytion 305891)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1098

[redacted] [redacted]-[redacted]

[illegible] Hep-G2/C3A | 305891

Mutational profile	[illegible]: p.Gln61Leu, [illegible]

[illegible]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([illegible] Cytion 820100a)
Supplements	[illegible] 10% FBS
Dissociation Reagent	[illegible]
Freeze medium	[illegible], [illegible] + 10% DMSO [illegible].
Thawing and Culturing Cells	1. [illegible], [illegible] 2. [illegible], [illegible] -150°C [illegible], [illegible] 3. [illegible], [illegible] 37 [illegible] 4. [illegible], [illegible] 70% [illegible]. 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] -200 x g [illegible] 5 [illegible], [illegible]. 7. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible].
Flask Coating	[illegible]
Shipping Conditions	[illegible] -78°C

[illegible] Hep-G2/C3A | 305891

Storage Conditions	[illegible], [illegible] -150 [illegible] 196 [illegible]. [illegible]

[illegible] / [illegible] / HLA