

XXXX SNU-620 | 305910

XXXX XXXX

Organism	XXXX
Tissue	XXXXXX
Disease	XXXXXXXXXXXXXXXXXXXX XXXXX
Metastatic site	XXXXXX
Synonyms	SNU620, NCI-SNU-620

XXXXXXXXXXXX

Age	59 XXXX
Gender	XXXX
Ethnicity	XXXXXXXXXX
Growth properties	XXXXXX

XXXXXXXXXX XXXXXXXXXXXXXXXX

Citation	SNU-620 (XXXX XXXXXXXX Cytion 305910)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_5079

XXXXXXXXXX XXXX-XXXXXXXXXXXXXX

XXXXXX

Culture Medium	RPMI 1640, w: 2.0 mM XXXXXXXX XXXX, w: 2.0 g/L NaHCO3 (XXXX XXXXXXXX XX Cytion 820700a)
-----------------------	---

HEK293T SNU-620 | 305910

Supplements	DMEM supplemented with 10% FBS
Dissociation Reagent	Trypsin
Doubling time	31 days
Seeding density	0.1 x 10 ⁶ cells
Freeze medium	DMEM supplemented with 10% FBS, 10% DMSO
Thawing and Culturing Cells	<ol style="list-style-type: none"> 1. Thaw cells in a 37°C water bath, add to DMEM medium, and centrifuge at 300 x g for 5 minutes. 2. Wash cells in PBS, centrifuge at 300 x g for 5 minutes, and resuspend in DMEM medium. 3. Seed cells into a 25 cm² flask with 10 ml DMEM medium. 4. Allow cells to attach for 24 hours, then replace medium with fresh DMEM medium. 5. Seed cells into a 25 cm² flask with 10 ml DMEM medium. 6. Allow cells to attach for 24 hours, then replace medium with fresh DMEM medium. 7. Seed cells into a 25 cm² flask with 10 ml DMEM medium.
Incubation Atmosphere	37°C, 5% CO ₂ , humidified
Flask Coating	None
Shipping Conditions	Cells are shipped in DMEM medium with 10% FBS and 10% DMSO at -78°C.
Storage Conditions	Cells can be stored in DMEM medium with 10% FBS and 10% DMSO at -150°C for up to 196 days.

HEK293T SNU-620 / HEK293T SNU-620 / HLA