Product sheet

ARPE-19 | 305025

[illegible]

Description	[illegible] ARPE-19, [illegible] (RPE) [illegible] 19, [illegible] RPE [illegible], [illegible] ARPE-19, [illegible] α-RPE [illegible] CRALBP α-RPE-65, [illegible] ARPE-19 [illegible], [illegible] ARPE-19 [illegible], [illegible]
Organism	[illegible]
Tissue	[illegible], [illegible], [illegible]
Synonyms	ARPE19, [illegible]-19, NTC-200, NTC200

[illegible]

Age	19 [illegible]
Gender	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	ARPE-19 ([illegible] Cytion 305025)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0145

[illegible]

Protein expression	[illegible] α-Rpe Cralbp α-Rpe-65

ARPE-19 | 305025

Antigen expression	-RPE CRALBP -RPE-65
Tumorigenic	

|

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L- , w: 15 mM HEPES, w: 0.5 mM , w: 1.2 g/L NaHCO3 820400a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 ' PBS, 3 . . . . .
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO C
Thawing and Culturing Cells	

1. .
2. -150°C .
3. 37 .
4. 70% .
5. 15 ' 8 ' .
6. -300 x g 3 .
7. -10 ' . . T2
8. -.

[redacted]ARPE-19 | 305025

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]