



# HEK293T-B-LCL-HROC39 (Bc HROC39) | 300863

CellosaurusAccession CVCL\_YD56

HEK293T B-LCL-HROC39

**Surface antigens** CD19

**Viruses** EBV

HEK293T

**Culture Medium** RPMI 1640, w: 2.0 mM  $\text{CaCl}_2$ , w: 2.0 g/L  $\text{NaHCO}_3$  (Cytion 820700a)

**Supplements** 10% FBS

**Subculturing** 1:5

**Freeze medium** RPMI 1640, w: 2.0 mM  $\text{CaCl}_2$ , w: 2.0 g/L  $\text{NaHCO}_3$  (Cytion 820700a), 10% FBS + 10% DMSO

**Thawing and Culturing Cells**

1. Thaw cells rapidly in a 37°C water bath.
2. Centrifuge cells at 300 x g for 3 minutes.
3. Resuspend cells in 15 ml of fresh culture medium.
4. Seed cells into a T25 flask at 70% confluency.
5. Incubate cells at 37°C in 5%  $\text{CO}_2$  for 24 hours.
6. Harvest cells for analysis.
7. Seed cells into a T75 flask at 10% confluency.
8. Harvest cells for analysis.

**Incubation Atmosphere** 37°C, 5%  $\text{CO}_2$

