

HEK293T RD | 300401

Virus susceptibility Adenovirus 1, Adenovirus 2 (Adenovirus), Adenovirus 3, Adenovirus 4

Reverse transcriptase Negative

Products Adenovirus, Adenovirus ATPase

Karyotype 2n=48

HEK293T

Culture Medium DMEM, w: 4.5 g/L D-glucose, w: 4 mM L-glutamine, w: 3.7 g/L NaHCO3, w: 1.0 mM Sodium Pyruvate (Sodium Pyruvate Cytion 820300a)

Supplements Fetal Bovine Serum 10% FBS

Dissociation Reagent Trypsin

Subculturing Seed cells into 96-well plates at 100,000 cells per well in 100 µl of DMEM + 10% FBS. For T25 flasks, seed 1-3 x 10^6 cells in 100 µl of DMEM + 10% FBS. For 3 flasks, seed 1-3 x 10^6 cells in 100 µl of DMEM + 10% FBS.

Split ratio 1:2

Fluid renewal 3-4 times

Freeze medium DMEM + 10% FBS + 10% DMSO

XXXXRD | 300401

XXXXXX STR

Amelogenin: x,x
CSF1PO: 10,11
D13S317: 13
D16S539: 10,11
D5S818: 11
D7S820: 8,12
TH01: 9 XXXX
TPOX: 9
vWA: 18
D3S1358: 15,17
D21S11: 28,29
D18S51: 13,18
Penta E: 12
Penta D: 11,13
D8S1179: 11:15
FGA: 20,21

XXXXXX HLA

A*: 01:01:01
B*: '37:01:01
C*: 06:02:01
DRB1*: 03:01:01
DQA1*: 05:01:01
DQB1*: 02:01:01
DPB1*: 01:01:01
E: 01:01:01