Product sheet

[redacted] AH-130 FN | 500451

[redacted]

Description	AH-130 FN [redacted] AH-130, [redacted] AH-130 [redacted] [redacted]-AH-130 FN.
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	AH130FN-TC, AH130FN, AH-130F(N), AH-130FN, AH 130 FN

[redacted]

Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	AH-130 FN ([redacted] Cytion 500451)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_5683

[redacted]

Tumorigenic	[redacted]
Viruses	[redacted] RAP [redacted] .

[redacted]

[redacted]AH-130 FN | 500451

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L [redacted], w: 2.5 mM L-[redacted], w: 15 mM HEPES, w: 0.5 mM [redacted], w: 1.2 g/L NaHCO3 820400a)
Supplements	[redacted] 10% FBS
Subculturing	[redacted]
Seeding density	1 x 10^6 [redacted]
Fluid renewal	[redacted] 3 [redacted] 5 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted] C
Thawing and Culturing Cells	
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

1. [redacted]
2. [redacted] -150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] -300 x g [redacted] 3 [redacted]
7. [redacted] -10 [redacted] T2
8. [redacted]

[redacted]AH-130 FN | 500451

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted] [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]