

Product sheet

BS-C-1 | 305009

Supplements	10% FBS 1% NEAA
Dissociation Reagent	
Doubling time	72
Subculturing	1. Add 1 ml of medium to each well of a 24-well plate. 2. Add 1 ml of medium to each well of a 24-well plate. 3. Add 1 ml of medium to each well of a 24-well plate. 4. Add 1 ml of medium to each well of a 24-well plate. 5. Add 1 ml of medium to each well of a 24-well plate. 6. Add 1 ml of medium to each well of a 24-well plate. 7. Add 1 ml of medium to each well of a 24-well plate. 8. Add 1 ml of medium to each well of a 24-well plate.
Fluid renewal	2 x 3
Freeze medium	10% FBS + 10% DMSO
Thawing and Culturing Cells	<ol style="list-style-type: none">1. Add 1 ml of medium to each well of a 24-well plate.2. Add 1 ml of medium to each well of a 24-well plate.3. Add 1 ml of medium to each well of a 24-well plate.4. Add 1 ml of medium to each well of a 24-well plate.5. Add 1 ml of medium to each well of a 24-well plate.6. Add 1 ml of medium to each well of a 24-well plate.7. Add 1 ml of medium to each well of a 24-well plate.8. Add 1 ml of medium to each well of a 24-well plate.
Incubation Atmosphere	37°C, 5% CO ₂
Flask Coating	
Freezing Procedure	-78°C

Product sheet

BS-C-1 | 305009

Shipping Conditions

Store at -78°C

Storage Conditions

Store at -150 to 196 °C

HLA

Sterility

PCR
Sterility