

Product sheet

SW-13 | 300349

SW-13

Description	SW-13 (BGJ).
Organism	SW-13
Tissue	SW-13
Disease	SW-13
Synonyms	SW13, SW 13, SW-13

SW-13

Age	55
Gender	SW-13
Ethnicity	SW-13
Morphology	SW-13
Growth properties	SW-13

SW-13

Citation	SW-13 (SW-13 Cytion 300349)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0542

SW-13

Isoenzymes	G6PD, B
-------------------	---------

Product sheet

SW-13 | 300349

Virus susceptibility	Adenovirus (Ad5), Adenovirus 1
Reverse transcriptase	None

Cell Line

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L NaHCO ₃ (Cytion 820400a)
-----------------------	--

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	None
-----------------------------	------

Subculturing	1:3 to 1:5 in DMEM:Ham's F12 (1:1) with 10% FBS
---------------------	---

Fluid renewal	2-3 times per week
----------------------	--------------------

Freeze medium	DMEM:Ham's F12 (1:1) + 10% DMSO + 10% FBS
----------------------	---

Thawing and Culturing Cells	<ol style="list-style-type: none">Thaw cells in a 37°C water bath.Centrifuge at 300 x g for 3 minutes.Resuspend in DMEM:Ham's F12 (1:1) with 10% FBS.Seed cells into a T25 flask at 70% confluency.Incubate for 15-18 hours.Subculture when cells reach 70-80% confluency.Subculture into a T25 flask.Subculture into a T25 flask.
------------------------------------	---

